Public Health 101 Series





Introduction to Epidemiology

Dr. Hossain Al-Amin
Program Head and Public Health Specialist
Center for Robotics Innovation and
Development-USA

Note: Epidemiology is the Heart of Public Health. Lets Learn together





Course Topics

Introduction to Epidemiology

- 1. A Public Health Approach
- 2. What Is Epidemiology?
- 3. Key Concepts and Terms
- 4. Calculating Rates
- 5. Approach and Methodology
- 6. Data Sources and Study Design
- 7. Investigating an Outbreak

Learning Objectives



After this course, you will be able to

- define epidemiology
- describe basic terminology and concepts of epidemiology
- identify types of data sources
- identify basic methods of data collection and interpretation
- describe a public health problem in terms of time, place, and person
- identify the key components of a descriptive epidemiology outbreak investigation




Topic 1 A Public Health Approach





A Public Health Approach



Public Health Core Sciences








Topic 2 What Is Epidemiology?





Epidemiology — Defined





Study of the distribution and determinants of health-related states among specified populations and the application of that study to the control of health problems

Distribution

Includes frequency and pattern

Frequency: the number of health events (e.g. number of cases of diabetes in a population), also the relationship of that number to the size of the population

Pattern: the occurrence of health-related events by **time**, **place**, and **person**

Time patterns: annual, seasonal, weekly, daily, hourly, weekday versus weekend,

Place patterns: geographic variation, urban/rural differences, and location of work sites or schools

Personal characteristics: demographic factors (age, sex, marital status, and socioeconomic status), as well as behaviors and environmental exposures

Determinants

Causes and other factors that influence the occurrence of disease and other health-related events

Illness does not occur randomly in a population, but happens only when the right accumulation of risk factors or determinants exists in an individual

Health related states and events

Epidemics of communicable diseases – original focus

Current scope:

- endemic communicable diseases
- non-communicable infectious diseases
- chronic diseases, injuries, birth defects, maternal-child health, occupational health, and environmental health
- health-related behaviors: exercise, seat belt use,

-


Epidemiology Purposes in Public Health Practice



- Discover the agent, host, and environmental factors that affect health
- Determine the relative importance of causes of illness, disability, and death
- Identify those segments of the population that have the greatest risk from specific causes of ill health
- Evaluate the effectiveness of health programs and services in improving population health

Solving Health Problems







Knowledge Check



All of the following illustrate the purpose of epidemiology in public health, except

- A. identifying populations who are at risk for certain diseases.
- B. assessing the effectiveness of interventions.
- C. providing treatment for patients in clinical settings.
 - D. determining the importance of causes of illness



Knowledge Check



Epidemiologists use a model for studying infectious disease and its spread that involves the microbe that causes the disease, the organism that harbors the disease, and the external factors that cause or allow disease transmission. This is also known as


- A. host, vector, and transmission.
- B. transmission, host, and environment.



- C. host, agent, and environment.
- D. organism, transmission, and environment.



Topic 3 Epidemiology Key Terms



Epidemiology Key Terms



epidemic or outbreak: disease occurrence among a population that is in excess of what is expected in a given time and place.

cluster: group of cases in a specific time and place that might be more than expected.

endemic: disease or condition present among a population at all times.

pandemic: a disease or condition that spreads across regions.

rate: number of cases occurring during a specific period; always dependent on the size of the population during that period.



Knowledge Check



Match each term with the correct example.

A. endemic

B. pandemic

C. epidemic

- A. endemic
- 1. Malaria is present in Africa at all times because of the presence of infected mosquitoes. Malaria is ____ in Africa.
- C. epidemic
- 2. The Ebola virus in parts of Africa is in excess of what is expected for this region. This virus is a/an _____.
- B. pandemic
- 3. HIV/AIDS is one of the worst global diseases in history. It is a/an _____.



Knowledge Check



Choose the correct answer.

A. distribution


B. cluster

C. determinant


In March 1981, an outbreak of measles occurred among employees at Factory X in Fort Worth, Texas.

This group of cases in this specific time and place can be described as a <u>cluster</u>.


Topic 5 Epidemiology Approach and Methods



Epidemiology Study Types



Types of Epidemiological Studies



Two Broad Types of Epidemiology

DESCRIPTIVE EPIDEMIOLOGY

Examining the distribution of a disease in a population, and observing the basic features of its distribution in terms of time, place, and person

Typical study design:
community health survey
(approximate synonyms cross-sectional study,
descriptive study)

ANALYTIC EPIDEMIOLOGY

Testing a specific hypothesis about the relationship of a disease to a putative cause, by conducting an epidemiologic study that relates the exposure of interest to the disease of interest

Typical study designs: cohort, case-control

The 5W's of descriptive epidemiology


- What = health issue of concern
- Who = person
- Where = place
- When = time
- Why/how = causes, risk factors, modes of transmission


Descriptive and Analytic Epidemiology


Descriptive epidemiology	Analytic epidemiology
When was the population affected?	How was the population affected?
Where was the population affected?	Why was the population affected?
Who was affected?	



In 1982, the number of farm tractor-associated deaths was described in terms of time, place, and person by using records from an existing surveillance system









Knowledge Check

Choose the correct answer from the following choices:

A. Qualitative

B. Experimental

C. Observational

C. Observational

An epidemiologist is doing a study on the sleep patterns of college students but does not provide any intervention. What type of study is this?



Knowledge Check

Match each term to the correct example below.

A. Descriptive

B. Analytic

B. Analytic

 A study of heart disease comparing a group who eats healthy foods and exercises regularly with one who does not in an effort to test association

A. Descriptive

 A study to describe the eating habits of adolescents aged 13–18 years in Community X

Topic 6 Epidemiology Data Sources and Study Design



Data Sources and Collection Methods

Source	Method	Example
Individual persons	QuestionnaireSurvey	 Foodborne illness outbreak CDC's National Health and Nutrition Examination Survey Health data on U.S. residents
Environment	 Samples from the environment (river water, soil) Sensors for environmental changes 	 Collection of water from area streams — check for chemical pollutants Air-quality ratings
Health care providers	 Notifications to health department if cases of certain diseases are observed 	Report cases of meningitis to health department
Nonhealth–related sources (financial, legal)	Sales recordsCourt records	Cigarette salesIntoxicated driver arrests

Conducting Studies




Studies are conducted in an attempt to discover associations between an exposure or risk factor and a health outcome

Study Design — Cross-Sectional Study



Subjects are selected because they are members of a certain population subset at a certain time

Study Design — Cohort Study



Subjects are categorized on the basis of their exposure to one or more risk factors

Study Design Type — Case-Control Study



Subjects identified as having a disease or condition are compared with subjects without the same disease or condition



Which of the following are examples of a healthrelated source of data collection?

- A. Intoxicated driver arrests.
- ✓ B. Electronic health records.
- C. Measurement of toxins in a river.
 - D. Medical board action against a physician.



Match each study with the correct definition.

- A. Cross-Sectional B. Cohort
- C. Case-Control

- C. Case-Control
- 1. Subjects with diabetes are compared with subjects without diabetes.
- A. Cross-Sectional
- 2. A study of women aged 50–60 years in a community located close to a nuclear power facility.

B. Cohort

3. Subjects who have received nutritional counseling and who have exercised twice a week are compared with subjects who have not.

Topic 7 Investigating an Outbreak



Outbreak Investigation

Ten steps are involved in outbreak investigations, including



- establishing the existence of an outbreak
- preparing for fieldwork
- verifying the diagnosis
- defining and identifying cases
- using descriptive epidemiology
- developing hypotheses
- evaluating the hypotheses
- refining the hypotheses
- implementing control and prevention measures
- communicating findings

Outbreak Investigation — Steps 1 and 2




Step 1 — Establishing the existence of an outbreak

 Use data from data sources

Step 2 — Preparing for field work

- Research the disease
- Gather supplies and equipment
- Arrange travel

Outbreak Investigation — Steps 3 and 4



Step 3 — Verifying the diagnosis

- Speak with patients
- Review laboratory findings and clinical test results

Step 4 — Defining and identifying cases

 Establish a case definition by using a standard set of criteria


Outbreak Investigation — Step 5



Step 5 — Using descriptive epidemiology

Describe and orient the data

Legionnaires' Disease Cases, by Day



Legionnaires' Disease Attack Rates

11-1-1 D

Hotel A				Hotel B			Hotel C		
Age (yrs)	III	Total	Percent ill	III	Total	Percent ill	III	Total	Percent ill
≤39	3	44	6.8	3	116	2.6	6	160	3.7
40–49	9	160	5.6	11	232	4.7	20	392	5.1
50–59	27	320	8.4	25	523	4.8	52	843	6.2
60–69	12	108	11.1	19	207	9.1	31	315	9.8
≥70	11	54	20.4	5	76	6.5	16	130	12.3
Unknown	0	2	0	0	7	0	0	9	0
Total	62	688	9.0	63	1,161	5.4	125	1,849	6.8

Fraser DW, Tsai, T, Orenstein W, et al. Legionnaires' disease: description of an epidemic of pneumonia. New Engl J Med 1977;297: 1189–97.

11-1-1

Outbreak Investigation — Steps 6, 7, and 8



Step 6 — Develop a focused hypothesis

Step 7 — Evaluate the hypothesis for validity

Step 8 — Refine the hypothesis as needed

Legionnaires' Disease Study Results



Five months after the first cases of Legionnaires' disease occurred, results of the case-control study indicated that spending time in the lobby of Hotel A was a risk factor for illness

Legionnaires' Disease Study Results



In December 1976, a CDC laboratorian successfully located the source bacteria after continuing to test the specimens that were thought to be dead

Outbreak Investigation — Steps 9 and 10



Step 9 — Implement control and prevention measures

 Control and prevent additional cases



Step 10 — Communicate findings

- Determine who needs to know
- Determine how information will be communicated
- Identify why the information needs to be communicated



In 1976, during an American Legion Convention, 11 attendees had died of apparent heart attacks by August 1. Dr. Campbell contacted the Pennsylvania Department of Health after realizing he had treated 3 of those 11 attendees. What is the first step the Pennsylvania Department of Health should have followed?

- A. Establish a surveillance system.
- B. Alert the convention attendees.



- C. Establish the existence of an outbreak.
- D. Send an investigation team to the hotel.



CDC then launched an investigation. However, no effective communication existed between scientists in the field interviewing patients and those in the laboratory who were testing specimens.

As a first step in stopping this outbreak, what should the team have done to identify persons who were part of the outbreak?

- A. Verify a diagnosis.
- \checkmark
- B. Establish a case definition to identify cases.
- C. Communicate findings to the public.
- D. Implement prevention measures.



In speculating that the cooling system might be the source of the outbreak, what step was the epidemiologist implementing?



- A. Developing a hypothesis.
- B. Refining a hypothesis.
- C. Evaluating a hypothesis.
- D. Verifying a diagnosis.



In January 1977, the Legionella bacterium was finally identified and isolated and was found to be breeding in the cooling tower of the hotel's air-conditioning system; the bacteria then spread through the building whenever the system was engaged. What should the investigation team do regarding their original hypothesis?

- A. Evaluate it.
- B. Refine it.
- C. Confirm it.



D. Both A and B.



The finding from this outbreak investigation lead to development of new regulations worldwide for climate control systems. What step does this illustrate?

- A. Communicate the findings.
- ✓ B. Implement control and prevention measures.
 - C. Perform descriptive epidemiology.
 - D. Refine the hypothesis.

Course Summary

During this course, you learned to

- define epidemiology
- describe basic terminology and concepts of epidemiology
- identify types of data sources
- identify basic methods of data collection and interpretation
- describe a public health problem in terms of time, place, and person
- identify the key components of a descriptive epidemiology outbreak investigation

QUESTIONS?

Resources and Additional Reading

- Bogdanich W. Panama releases report on '06 poisoning. The New York Times, February 14, 2008.http://www.nytimes.com/2008/02/14/world/americas/14panama.html.
- Centers for Disease Control and Prevention (CDC). CDC helps solve Panama mystery illness. Atlanta, GA: US Department of Health and Human Services, CDC News, October 7, 2006. http://www.cdc.gov/news/2006_10/panama.htm.
- Dean H. Introduction to public health, epidemiology, and surveillance. Atlanta, GA: US Department of Health and Human Services, CDC Science Ambassador Program, July 16, 2012.
- Fraser DW, Tsai, T, Orenstein W, et al. Legionnaires' disease: description of an epidemic of pneumonia. New Engl J Med 1977;297:1189–97.
- Goodman RA, Smith JD, Sikes RK, et al. Fatalities associated with farm tractor injuries: an epidemiologic study. Public Health Rep 1985;100:329–33.
- Centers for Disease Control and Prevention (CDC). How to investigate an outbreak. Epidemiology in the Classroom, November 17, 2004. Atlanta, GA: US Department of Health and Human Services, CDC. http://www.cdc.gov/excite/classroom/outbreak/steps.htm#step1.
- Last JM, ed. A dictionary of epidemiology. 2nd ed. Toronto, Canada: Oxford University Press; 1988.
- Rentz DE, Lewis L, Mujica OJ, et al. Outbreak of acute renal failure in Panama in 2006: a case-control study. Bull World Health Organ 2008;86:749–56.
- Sakamoto R, Ohno A, Nakahara T, et al. *Legionella pneumophilia* in rainwater on roads. Emerg Infect Dis 2009;15:1295–7.
- Thacker SB, Birkhead GS. Surveillance [Chapter 3]. In: Gregg, MB, ed. Field epidemiology. 3rd ed. New York, NY: Oxford University Press; 2008.